



**BUREAU
VERITAS**

TEST REPORT

LAB NO. : (9313)203-1075
DATE : Jul 29, 2013
PAGE : 1 OF 6

APPLICANT : [REDACTED]

CONTACT PERSON : Mr.Lee

DATE OF SUBMISSION : Jul 22, 2013

TEST PERIOD : Jul 22, 2013 to Jul 29, 2013

NO. OF WORKING DAYS : 6

SAMPLE DESCRIPTION : S/S CHEESE GRATER

Color: /

Style No.: 991109(15003/N3010)/2120506(15002/3009X-2)/2021001(15001)

P.O. No.: /

Country of Origin: /

Country of Destination: /

MANUFACTURER : /

SUMMARY OF TEST RESULTS

TEST REQUESTED	CONCLUSION	REMARK
Metals Content for Stainless Steel in Contact with Foodstuffs – French Decree 2007-766 and French DGCCRF Note Information No. 2004-64	PASS	-
Overall Migration Test for Plastic Materials in Contact with Foodstuffs – Commission Regulation (EU) No. 10/2011 and Its Amendments	PASS	-
Specific Migration of Heavy Metals for Plastic Materials in Contact with Foodstuffs – Commission Regulation (EU) No. 10/2011 and Its Amendments	PASS	-
Specific Migration of Primary Aromatic Amine for Plastic Materials in Contact with Foodstuffs – Commission Regulation (EU) No. 10/2011 and Its Amendments	PASS	-
Specific Migration of Caprolactam for Plastic Materials in Contact with Foodstuffs – Commission Regulation (EU) No. 10/2011 and Its Amendments	PASS	-

RW

Bureau Veritas Consumer Products Services (Guangzhou) Co.,Ltd
No. 183, Shinan Road, Meilin Plaza Block B, Dongchong, Panyu, Guangzhou, Guangdong Province, China 511453
Tel: (86) 20 2290 2088 Fax: (86) 20 3490 9303
Email: BVCPSP_pyinfo@cn.bureauveritas.com
Website: cps.bureauveritas.com

This report is governed by, and incorporates by reference, the Conditions of Testing as posted at the date of issuance of this report at <http://www.mtl-acts.com> and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence, provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.



LAB NO. : (9313)203-1075
DATE : Jul 29, 2013
PAGE : 2 OF 6

BUREAU VERITAS CONSUMER PRODUCTS SERVICES (GUANGZHOU) CO., LTD

CHARLES WONG
ANALYTICAL LAB MANAGER

REMARK

If there are questions or concerns on this report, please contact the following persons:


- a) GENERAL TEL: (86)755 83437287
FAX: (86)755 83439100
- b) BUSINESS SZ TEL: (86)755 21534695
FAX: (86)755 83439100
BUSINESS GZ TEL: (86) 20 83809765
FAX: (86) 20 83278793

EMAIL: eechemical.sc@cn.bureauveritas.com
WEBSITE: cps.bureauveritas.cn



LAB NO. : (9313)203-1075
DATE : Jul 29, 2013
PAGE : 3 OF 6

Photo of the Submitted Sample



Report Number
(9313)203-1075



**BUREAU
VERITAS**

LAB NO. : (9313)203-1075
DATE : Jul 29, 2013
PAGE : 4 OF 6

TEST RESULT

Materials in Contact with Foodstuffs – French Decree 2007-766 (French DGCCRF Note Information No. 2004-64)

Test Item	Description	Client Claimed Material
1	Silvery metal (stainless steel)	-
2	Grey plastic (nylon)	-

Metals Content for Stainless Steel in Contact with Foodstuffs – French Decree 2007-766 and French DGCCRF Note Information No. 2004-64

Parameter	Unit	Result	Limit
		1	
Aluminium (Al)	%	<0.1	≤4
Chromium (Cr)	%	14.4	≥13
Copper (Cu)	%	0.106	≤4
Molybdenum (Mo)	%	<0.1	≤4
Niobium (Nb)	%	<0.1	≤1
Tantalum (Ta)	%	<0.1	≤1
Titanium (Ti)	%	<0.1	≤4
Zirconium (Zr)	%	<0.1	≤1
Conclusion	-	PASS	-

Note: “<” = less than
“≤” = less than or equal to
“≥” = greater than or equal to

Method: Acid digestion and analysis by Inductively Coupled Argon Plasma Spectrometer (ICP).

Remark: Tested part(s) was/were specified by client.



**BUREAU
VERITAS**

LAB NO. : (9313)203-1075
DATE : Jul 29, 2013
PAGE : 5 OF 6

TEST RESULT

Overall Migration Test for Plastic Materials in Contact with Foodstuffs – Commission Regulation (EU) No. 10/2011 and Its Amendments

Test Condition: Iso-octane: 20°C, 0.25 hrs

Simulant Used	Unit	Result	Maximum Allowable Limit	Analytical Tolerance
		2		
Iso-octane	mg/dm ²	<5	10	+3
Conclusion	-	PASS	-	-

Note: “<” = less than
mg/dm² = milligram per square decimetre

Method: EN 1186-1: 2002.

Remark: 1) The migration test is carried out according to EC Regulation No. 10/2011 and the corresponding regulatory statutes.
2) Tested part(s) was/were specified by client.

Specific Migration of Heavy Metals for Plastic Materials in Contact with Foodstuffs – Commission Regulation (EU) No. 10/2011 and Its Amendments

Test Condition: 3% Acetic acid: 40°C, 0.5 hrs

Parameter	Simulant Used	Unit	Result	Maximum Allowable Limit
			2	
Barium (Ba)	3% Acetic acid	mg/kg	<0.1	1
Cobalt (Co)	3% Acetic acid	mg/kg	<0.005	0.05
Copper (Cu)	3% Acetic acid	mg/kg	<0.5	5
Iron (Fe)	3% Acetic acid	mg/kg	<5	48
Lithium (Li)	3% Acetic acid	mg/kg	<0.1	0.6
Manganese (Mn)	3% Acetic acid	mg/kg	<0.1	0.6
Zinc (Zn)	3% Acetic acid	mg/kg	<3	25
Conclusion	-	-	PASS	-

Note: “<” = less than
mg/kg = milligram per kilogram

Method: EN 13130-1: 2004 and analysis by Inductively Coupled Argon Plasma Spectrometer (ICP).

Remark: 1) The migration test is carried out according to EC Regulation No. 10/2011 and the corresponding regulatory statutes.
2) Tested part(s) was/were specified by client.



**BUREAU
VERITAS**

LAB NO. : (9313)203-1075
DATE : Jul 29, 2013
PAGE : 6 OF 6

Specific Migration of Primary Aromatic Amine for Plastic Materials in Contact with Foodstuffs – Commission Regulation (EU) No. 10/2011 and Its Amendments

Test Condition: 3% Acetic acid: 40°C, 0.5 hrs

Parameter	Simulant Used	Unit	Result	Maximum Allowable Limit
			2	
Primary Aromatic Amines	3% Acetic acid	mg/kg	<0.01	0.01
Conclusion	-	-	PASS	-

Note: "<" = less than
mg/kg = milligram per kilogram

Method: EN 13130-1: 2004 and Draft EN 13130-XX:2004.

Remark: 1) The migration test is carried out according to EC Regulation No. 10/2011 and the corresponding regulatory statutes.
2) Tested part(s) was/were specified by client.
3) For plastic kitchenware made by polyamide, declaration shall be provided for every consignment of polyamide plastic kitchenware originating in or consigned from the People's Republic of China and Hong Kong Special Administrative Region, China. Please refer to Annex I for details.

Specific Migration of Caprolactam for Plastic Materials in Contact with Foodstuffs – Commission Regulation (EU) No. 10/2011 and Its Amendments

Test Condition: 95% Ethanol: 40 °C, 0.5 hr

Parameter	Simulant Used	Unit	Result	Maximum Allowable Limit
			2	
Caprolactam	95% Ethanol	mg/kg	<5	15
Conclusion	-	-	PASS	-

Note: "<" = less than
mg/kg = milligram per kilogram

Method: EN 13130-1:2004 and prCEN/TS 13130-16: 2004.

Remark: 1) The migration test is carried out according to EC Regulation No. 10/2011 and the corresponding regulatory statutes.
2) For article intended for repeated use, the migration tests are carried out three times on the same test sample and the third test result is shown in result table.
3) Selected test was specified by client.
4) Test condition was specified by client.
5) Test stimulant was specified by client.

END



地址: 中国 广东 肇庆高新区工业大道30号

Add: Industrial Avenue, High-tech Zone, Zhaoqing, Guangdong, China

电话/Tel: +86 758-3603886 传真/Fax: +86 758-3803882

Website: www.cambridge.org

编制: Typed by	朱波	产品质量证明章 Quality Inspection Seal
批准: Ratifying		
签发日期: Date	2024年1月3日	

1. 本证明书产品符合企业标准Q/ZOH 1-2023。

The material listed above has been tested and complies with the terms of enterprise standard of QZQHW 1-2023

2. 本证明书仅适用于出厂时限定状态的产品; 任何改变原型产品状态的加工产品, 非经肇庆壹旺实业有限公司书面认可不得以本证明书确认再加工后的产品质量。

This certificate is only applicable to products in the original condition of whole coil at the time of delivery. It shall not confirm the quality of the reprocessed products without the written approval of Zhaoqing Hongwang Industrial Co., Ltd.

3. 本证明书经质量负责人签字并加盖产品质量证明专用章后生效。

This certificate is valid with the signature of quality director and the original stamp of the quality

Assurance département

4. 如有质量异议, 请来电或来函说明情况, 并提供产品质量证明书编号。

If any quality query, please clarify via telephone or fax, indicating the certificate number

991109S0BG S/S430 Board Material : 0.6mm, 0.29mm





Fujian Hongwang Industrial Co., Ltd

产品质量证明书

PRODUCT QUALITY CERTIFICATE

地址 Add: 福建省福州市鼓楼区东街13号

Economic Development Zone Wenzhou Town, Fujian City, Fujian, China

电话 Tel: 0593-6296330

网址 URL: www.chhwjl.com

传真 Fax: 0593-6600196

Customer:

产品名称 Product: 冷轧不锈钢带 COLD ROLLED STAINLESS STEEL COIL

证书号 Certificate No: 202211140007

Surface Finish: NO.2B

WFS #: Grade: 201 J1

Remarks:

1. 茲證明所製之「晶體鹽」均符合企業標準要求。

The material listed above has been tested and complies with the terms of the contract and enterprise standard

2. 4. 证明

This certificate is valid with the original stamp of the quality assurance department.

3. 如左所懸弓矢，隨其曲成來證明明前，非以別證證明之也。

If any quality query, please clarify via phone call or fax, indicating the certificate number.



检验证明书

INSPECTION CERTIFICATE

客户 佛山市友诚普金属科技有限公司

订单号码 日期 2024/1/25

产品名 201不锈钢管

产品规格 不锈钢焊接管 STAINLESS STEEL WELDED PIPE

产品尺寸 数量 重量(kg) 规格 JG/T 3090-1995

Item No (D) 12.7*1000 PCS Weight Type 炉号 Heat No 固溶化热处理温度(℃) Annealed Temperature

1 201 - - 恒温时间 Hold Time (min) 水急冷时间 Water Quench 表面处理 Surface Finish 水压试验 (Mpa) Hydrostatic Test 涡流探伤 Eddy Current

化学成分 (%) 机械性能试验

Chemical Composition Mechanical Test

碳 C 锰 Mn 磷 P 硫 S 硅 Si 镍 Ni 铬 Cr 钼 Mo 抗拉强度 T.S(Mpa) 屈服强度 Y.S(Mpa) 延伸率 Elongation 硬度 (HRB) HV

上极限 0.150 10.50 0.06 0.030 1.00 3.00 16.00 640 345 35 243

下极限 0.12 9.35 0.05 0.001 0.8 1.05 14.50

1

品保主管 Q C Manager 检验员 Inspector

991109S0BG S/S201 Tube Material:(D)12.7mm

佛山市友诚普金属科技有限公司

业务专用章

检验员

Inspector

品保主管

Q C Manager

检验员

Inspector

品保主管

Q C Manager

检验员

Inspector





中国工商银行

产品质量证明书
INSPECTION CERTIFICATE

地址: 上海南京路 450 号 200001
 电话: 021-23112222
 电传: 021-23112222
 电报: 021-23112222
 电报: 021-23112222

FORRESTER, FULMER, TUCKERSON, VISCARDI, ZACHARY, CO., INC.

[illegible]

991109S0BG \$S201 Wire Material: $\phi 6$. 0



1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100. 101. 102. 103. 104. 105. 106. 107. 108. 109. 110. 111. 112. 113. 114. 115. 116. 117. 118. 119. 120. 121. 122. 123. 124. 125. 126. 127. 128. 129. 130. 131. 132. 133. 134. 135. 136. 137. 138. 139. 140. 141. 142. 143. 144. 145. 146. 147. 148. 149. 150. 151. 152. 153. 154. 155. 156. 157. 158. 159. 160. 161. 162. 163. 164. 165. 166. 167. 168. 169. 170. 171. 172. 173. 174. 175. 176. 177. 178. 179. 180. 181. 182. 183. 184. 185. 186. 187. 188. 189. 190. 191. 192. 193. 194. 195. 196. 197. 198. 199. 200. 201. 202. 203. 204. 205. 206. 207. 208. 209. 210. 211. 212. 213. 214. 215. 216. 217. 218. 219. 220. 221. 222. 223. 224. 225. 226. 227. 228. 229. 230. 231. 232. 233. 234. 235. 236. 237. 238. 239. 240. 241. 242. 243. 244. 245. 246. 247. 248. 249. 250. 251. 252. 253. 254. 255. 256. 257. 258. 259. 260. 261. 262. 263. 264. 265. 266. 267. 268. 269. 270. 271. 272. 273. 274. 275. 276. 277. 278. 279. 280. 281. 282. 283. 284. 285. 286. 287. 288. 289. 290. 291. 292. 293. 294. 295. 296. 297. 298. 299. 300. 301. 302. 303. 304. 305. 306. 307. 308. 309. 310. 311. 312. 313. 314. 315. 316. 317. 318. 319. 320. 321. 322. 323. 324. 325. 326. 327. 328. 329. 330. 331. 332. 333. 334. 335. 336. 337. 338. 339. 340. 341. 342. 343. 344. 345. 346. 347. 348. 349. 350. 351. 352. 353. 354. 355. 356. 357. 358. 359. 360. 361. 362. 363. 364. 365. 366. 367. 368. 369. 370. 371. 372. 373. 374. 375. 376. 377. 378. 379. 380. 381. 382. 383. 384. 385. 386. 387. 388. 389. 390. 391. 392. 393. 394. 395. 396. 397. 398. 399. 400. 401. 402. 403. 404. 405. 406. 407. 408. 409. 410. 411. 412. 413. 414. 415. 416. 417. 418. 419. 420. 421. 422. 423. 424. 425. 426. 427. 428. 429. 430. 431. 432. 433. 434. 435. 436. 437. 438. 439. 440. 441. 442. 443. 444. 445. 446. 447. 448. 449. 450. 451. 452. 453. 454. 455. 456. 457. 458. 459. 460. 461. 462. 463. 464. 465. 466. 467. 468. 469. 470. 471. 472. 473. 474. 475. 476. 477. 478. 479. 480. 481. 482. 483. 484. 485. 486. 487. 488. 489. 490. 491. 492. 493. 494. 495. 496. 497. 498. 499. 500. 501. 502. 503. 504. 505. 506. 507. 508. 509. 510. 511. 512. 513. 514. 515. 516. 517. 518. 519. 520. 521. 522. 523. 524. 525. 526. 527. 528. 529. 530. 531. 532. 533. 534. 535. 536. 537. 538. 539. 540. 541. 542. 543. 544. 545. 546. 547. 548. 549. 550. 551. 552. 553. 554. 555. 556. 557. 558. 559. 560. 561. 562. 563. 564. 565. 566. 567. 568. 569. 570. 571. 572. 573. 574. 575. 576. 577. 578. 579. 580. 581. 582. 583. 584. 585. 586. 587. 588. 589. 590. 591. 592. 593. 594. 595. 596. 597. 598. 599. 600. 601. 602. 603. 604. 605. 606. 607. 608. 609. 610. 611. 612. 613. 614. 615. 616. 617. 618. 619. 620. 621. 622. 623. 624. 625. 626. 627. 628. 629. 630. 631. 632. 633. 634. 635. 636. 637. 638. 639. 640. 641. 642. 643. 644. 645. 646. 647. 648. 649. 650. 651. 652. 653. 654. 655. 656. 657. 658. 659. 660. 661. 662. 663. 664. 665. 666. 667. 668. 669. 670. 671. 672. 673. 674. 675. 676. 677. 678. 679. 680. 681. 682. 683. 684. 685. 686. 687. 688. 689. 690. 691. 692. 693. 694. 695. 696. 697. 698. 699. 700. 701. 702. 703. 704. 705. 706. 707. 708. 709. 710. 711. 712. 713. 714. 715. 716. 717. 718. 719. 720. 721. 722. 723. 724. 725. 726. 727. 728. 729. 730. 731. 732. 733. 734. 735. 736. 737. 738. 739. 740. 741. 742. 743. 744. 745. 746. 747. 748. 749. 750. 751. 752. 753. 754. 755. 756. 757. 758. 759. 760. 761. 762. 763. 764. 765. 766. 767. 768. 769. 770. 771. 772. 773. 774. 775. 776. 777. 778. 779. 780. 781. 782. 783. 784. 785. 786. 787. 788. 789. 790. 791. 792. 793. 794. 795. 796. 797. 798. 799. 800. 801. 802. 803. 804. 805. 806. 807. 808. 809. 810. 811. 812. 813. 814. 815. 816. 817. 818. 819. 820. 821. 822. 823. 824. 825. 826. 827. 828. 829. 830. 831. 832. 833. 834. 835. 836. 837. 838. 839. 840.

21017

| 序号 | 品种 | 规格 | 产地 | 重量 | 重量 | 交货状态 | 合同号 |
|----|--------------|------|--------|--------|--------|-----------|----------|
| | Mat | Size | Steel | Weight | Weight | Delivery | Contract |
| | No | mm | Grade | kg | kg | Condition | No |
| 1 | NY2366H41N15 | 23 | A10200 | 1 | 1.116 | (1) | |
| 2 | NY2366H41N15 | 23 | A10200 | 1 | 1.117 | H02 | |
| 3 | NY2366H41N15 | 23 | A10200 | 1 | 1.117 | H02 | |
| 4 | NY2366H41N15 | 23 | A10200 | 1 | 1.117 | H02 | |
| 5 | NY2366H41N15 | 23 | A10200 | 1 | 1.117 | H02 | |
| 6 | NY2366H41N15 | 23 | A10200 | 1 | 1.117 | H02 | |
| 7 | NY2366H41N15 | 23 | A10200 | 1 | 1.117 | H02 | |
| 8 | NY2366H41N15 | 23 | A10200 | 1 | 1.117 | H02 | |
| 9 | NY2366H41N15 | 23 | A10200 | 1 | 1.117 | H02 | |
| 10 | NY2366H41N15 | 23 | A10200 | 1 | 1.117 | H02 | |
| 11 | NY2366H41N15 | 23 | A10200 | 1 | 1.117 | H02 | |
| 12 | NY2366H41N15 | 23 | A10200 | 1 | 1.117 | H02 | |
| 13 | NY2366H41N15 | 23 | A10200 | 1 | 1.117 | H02 | |
| 14 | NY2366H41N15 | 23 | A10200 | 1 | 1.117 | H02 | |
| 15 | NY2366H41N15 | 23 | A10200 | 1 | 1.117 | H02 | |
| 16 | NY2366H41N15 | 23 | A10200 | 1 | 1.117 | H02 | |
| 17 | NY2366H41N15 | 23 | A10200 | 1 | 1.117 | H02 | |
| 18 | NY2366H41N15 | 23 | A10200 | 1 | 1.117 | H02 | |
| 19 | NY2366H41N15 | 23 | A10200 | 1 | 1.117 | H02 | |
| 20 | NY2366H41N15 | 23 | A10200 | 1 | 1.117 | H02 | |

and obesity? Immunization

[illegible]

66-571

164-570

のよりよい理解を助ける。The original text

Abstract

0160-9303/96/0005-0000\$05.00/0

Type 1 or 2

991109S04C S5304 Wire Material: $\phi 5.0$

