



Assheuer + Pott GmbH & Co. KG Postfach 1555 D-59835 Sundern Germany
H.W.Larsen & Sonner A/S
Slagterboderne 15-21
Ködbyen
DK - 1716 Kobenhavn/Dänemark

Ihr Zeichen

Ihre Nachricht vom

Unser Zeichen
RP/Hw.

Datum
29.11.10

Hygienic and Health Certification *Hygiene- und Gesundheitsunbedenklichkeitszertifikat*

*Regarding EC-Regulation for Hygienic
for Food Related Products (93/43/EEC EU directiv 1935/2004) of 14th June, 1993*

We hereby declare, that the products listed meet the general requirements of safety and health of the EC-Regulation for Food Related Products (93/43/EEC) as well as the requirements of the EC-Regulation concerning the migration of ions (84/500/EEC) in accordance to the norm ISO 7086-2. The products support the HACCP concept.

This declaration does not apply if the products are used for other than the original purpose or if the products are modified by the client.

Wir erklären hiermit, dass die nachfolgend beschriebenen Produkte den grundlegenden Anforderungen an Sicherheit und Gesundheit der Lebensmittelhygiene-Richtlinie (93/43/EEC) entsprechen sowie den Anforderungen der in der Richtlinie (84/500/EWG) formulierten Grenzwerten der Ionenwanderungen gemäß DIN 51032 bzw. ISO 7086-2 genügen.

Diese Erklärung verliert ihre Gültigkeit bei nicht bestimmungsgemäßer Verwendung und bei Änderung der Produkte, die nicht mit dem Hersteller abgesprochen werden.

Die Produkte entsprechen den Anforderungen an die in Kapitel 4 genannten Einrichtung- und Ausrüstungsgegenständen und den bereits geltenden Vorschriften des § 31 des deutschen Lebensmittel- und Bedarfsgegenständegesetzes.

APS - Assheuer & Pott GmbH & Co. KG
I.A. Dimitrios Ntinos

Assheuer + Pott GmbH & Co. KG
Postfach 15 55 · 59835 Sundern
Talweg 11 · 59846 Sundern



**CMA Testing
and Certification
Laboratories**

廠商會檢定中心

TEST REPORT

Report No : AJ034965-001

Date: 2007-11-20

Application No : LJ229806

Test Result :

Simulant Used	Test Condition (For repeated use)	Overall Migration (mg/dm ²)	Maximum Permissible Limit (mg/dm ²)
		A	
3% Acetic Acid	40°C for 2 hours	<1	10
Rectified Olive Oil	40°C for 2 hours	<1	10

Note: 1. mg/dm² denotes milligram per square decimetre
2. °C denotes degree Celsius
3. < denotes less than
4. The specification was quoted from 2002/72/EC Directive.

Conclusion : The submitted sample with test part(s) A was found to comply with the respective requirement(s) for the tested item(s) as stated in 2002/72/EC Directives and Regulation (EC) No. 1935/2004 (material in contact with food regulation).

***** End of Report *****

For and on behalf of
CMA Industrial Development Foundation Limited

Authorized Signature :

Lau Kim Ho, Barry
Senior Technical Officer
Chemical Division

Page 2 of 2

This document shall not be reproduced except in full or with written approval by the Laboratory.

CMA Industrial Development Foundation Limited

Room 1302, Yan Hing Centre, 9-13 Wong Chuk Yeung St., Fo Tan, Sha Tin, N.T., Hong Kong.

Tel: (852) 2698 8198 Fax: (852) 2695 4177 E-mail: info@cmatel.com Web Site: http://www.ematel.com



**Konformitätserklärung gemäß Richtlinien
1935/2004, 2002/72/EG, 2007/19/EG, 2008/39EG**

1. Hersteller

Wüllner + Kaiser GmbH & Co. KG
Am Gelben Berg 10
59846 Sundern

2. Produkt

Müslispenderbehälter Oberteil, WK Art.-Nr. 1290-10001
Verwendung: Aufbewahrung von Müsli

3. Datum

05.10.2009

4.

Die Konformität der Produkte mit den o. g. Richtlinien wird hiermit bestätigt

5./ 6./ 7.

siehe Datenblätter und Bescheinigungen in der Anlage

8.

Funktionelle Barriere aus Kunststoff in einem mehrschichtigen Material: entfällt

Wüllner + Kaiser GmbH & Co. KG
Am Gelben Berg 10
D-59846 Sundern-Westenfeld

05.10.2009

Stempel

Datum, Unterschrift
Elmar Kaiser, Geschäftsführer

Datenblätter
01-00039

Assheuer + Pott GmbH & Co. KG
Talweg 11

59846 Sundern
Germany

Fürth, March 31st, 2011

Test report No. FUFDC 1107769

General note: Copying this test report partially is permitted only in agreement with the contracted lab. The tests results refer only to the tested item. This report consists of 4 page(s). Test methods marked with * are not listed in our accreditation document.

Sample description: **Sushi board black – Series “Zen”
Item N° 83744**

Sample Entry: 14.03.2011
Testing period: 14.03. – 31.03.2011
Sampling through client
Head of analytical department: Ines Zitterbart



Results:

1. Sensory test

Method: §64 LFGB L 00.90-6* – Test solvent: Water _{demin} (24 h / 40 °C)

	Sample
Appearance	Clear, colourless
Odour	Very slight odour of plastics
Taste	Very slight odour of plastics
Status	passed

2. Physical- chemical testing

2.1. Global migration

Method: § 64 LFGB B 80.30

Limit of quantitation: 1.0 mg/dm² Inaccuracy of measurement: 2.0 mg/dm²

a) Test conditions: Acetic Acid (3%), 24h / 40°C

	Sample
Migration (mg/dm ²)	3.0
Status	passed

Requirement: max. 10 mg/dm²

b) Test conditions: Ethanol (95%), 2h / 40°C

	Sample
Migration (mg/dm ²)	1.0
Status	passed

Requirement: max. 10 mg/dm²

c) Test conditions: i-octane, 2h / 40°C

	Sample
Migration (mg/dm ²)	< 1.0
Status	passed

Requirement: max. 10 mg/dm²

2.2. Total content of heavy metals

Method: DIN EN ISO 1122 - DIN EN ISO 11885 (ICP)

	Sample
Lead mg/kg	< 10
Cadmium mg/kg	< 5
Status	passed

Requirement Lead: max. 100 mg/kg

Requirement Cadmium: max. 100 mg/kg

2.3. Polycyclic aromatic hydrocarbons according to US- EPA in mg/kg

Method: ZEK 01.2-08 2008

Limit of determination: 0.1 mg/kg each n.d. = not detectable

1	Naphthalene	n.d.	9	Benzo(a)anthracene	n.d.
2	Acenaphthylene	n.d.	10	Chrysene	n.d.
3	Acenaphthene	n.d.	11	Benzo(b)fluoranthene	n.d.
4	Fluorene	n.d.	12	Benzo(k)fluoranthene	n.d.
5	Phenanthrene	n.d.	13	Benzo(a)pyrene	n.d.
6	Anthracene	n.d.	14	Indeno(1,2,3-cd)pyrene	n.d.
7	Fluoranthene	n.d.	15	Dibenzo(a,h)anthracene	n.d.
8	Pyrene	n.d.	16	Benzo(ghi)perylene	n.d.
Sum				---	

Status: passed

2.4. Specific migration of 2,4,6 – Triamino- 1,3,5 – Triazine (Melamine)

Method: §64 LFGB B 80.30 – HPLC/DAD*

Test conditions: Acetic Acid 3%, (24h/ 40°C)

Limit of quantitation: 1 mg/kg

	Sample
Melamine (mg/kg)	3.4
Status	Passed

Requirement: max. 30 mg/kg

2.5. Specific migration of Formaldehyde

Method: § 64 LFGB B 80.30 / DIN 53315 HPLC

Test conditions: Acetic Acid 3%, (24h/ 40°C)

Limit of quantitation: 1 mg/kg

	Sample
Formaldehyde (mg/kg)	3.4
Status	Passed

Requirement: max. 15 mg/kg

Summary:

Regarding the tested parameters the present sample fulfills the requirements of the LFGB, Regulation (EC) 1935/2004 and directive 2002/72/EC and its amendments and therefore is suitable for the contact with food products.

Sandra Heil
Staatlich geprüfte Lebensmittelchemikerin

Test report Nr. FU FDC 1107769 page 4 of 4

Assheuer + Pott GmbH & Co. KG
Talweg 11

59846 Sundern
Germany

Fürth, March 31st, 2011

Test report No. FUFDC 1107770

General note: Copying this test report partially is permitted only in agreement with the contracted lab. The tests results refer only to the tested item. This report consists of 4 page(s). Test methods marked with * are not listed in our accreditation document.

Sample description: **Bowl 30x15cm white – Series “Appart”
Item N° 83822**

Sample Entry: 14.03.2011
Testing period: 14.03. – 31.03.2011
Sampling through client
Head of analytical department: Ines Zitterbart



Test report No. FUFDC 1107770 page 1 of 4

Results:

1. Sensory test

Method: §64 LFGB L 00.90-6* – Test solvent: Water _{demin} (24 h / 40 °C)

	Sample
Appearance	Clear, colourless
Odour	Neutral
Taste	Neutral
Status	passed

2. Physical- chemical testing

2.1. Global migration

Method: § 64 LFGB B 80.30

Limit of quantitation: 1.0 mg/dm² Inaccuracy of measurement: 2.0 mg/dm²

a) Test conditions: Acetic Acid (3%), 24h / 40°C

	Sample
Migration (mg/dm ²)	1.0
Status	passed

Requirement: max. 10 mg/dm²

b) Test conditions: Ethanol (95%), 2h / 40°C

	Sample
Migration (mg/dm ²)	< 1.0
Status	passed

Requirement: max. 10 mg/dm²

c) Test conditions: i-octane, 2h / 40°C

	Sample
Migration (mg/dm ²)	< 1.0
Status	passed

Requirement: max. 10 mg/dm²

2.2. Total content of heavy metals

Method: DIN EN ISO 1122 - DIN EN ISO 11885 (ICP)

	Sample
Lead mg/kg	< 10
Cadmium mg/kg	< 5
Status	passed

Requirement Lead: max. 100 mg/kg

Requirement Cadmium: max. 100 mg/kg

2.3. Polycyclic aromatic hydrocarbons according to US- EPA in mg/kg

Method: ZEK 01.2-08 2008

Limit of determination: 0.1 mg/kg each n.d. = not detectable

1	Naphthalene	n.d.	9	Benzo(a)anthracene	n.d.
2	Acenaphthylene	n.d.	10	Chrysene	n.d.
3	Acenaphthene	n.d.	11	Benzo(b)fluoranthene	n.d.
4	Fluorene	n.d.	12	Benzo(k)fluoranthene	n.d.
5	Phenanthrene	n.d.	13	Benzo(a)pyrene	n.d.
6	Anthracene	n.d.	14	Indeno(1,2,3-cd)pyrene	n.d.
7	Fluoranthene	n.d.	15	Dibenzo(a,h)anthracene	n.d.
8	Pyrene	n.d.	16	Benzo(ghi)perylene	n.d.
Sum					---

Status: passed

2.4. Specific migration of 2,4,6 – Triamino- 1,3,5 – Triazine (Melamine)

Method: §64 LFGB B 80.30 – HPLC/DAD*

Test conditions: Acetic Acid 3%, (24h/ 40°C)

Limit of quantitation: 1 mg/kg

	Sample
Melamine (mg/kg)	< 1.0
Status	Passed

Requirement: max. 30 mg/kg

2.5. Specific migration of Formaldehyde

Method: § 64 LFGB B 80.30 / DIN 53315 HPLC

Test conditions: Acetic Acid 3%, (24h/ 40°C)

Limit of quantitation: 1 mg/kg

	Sample
Formaldehyde (mg/kg)	1.9
Status	Passed

Requirement: max. 15 mg/kg

Summary:

Regarding the tested parameters the present sample fulfills the requirements of the LFGB, Regulation (EC) 1935/2004 and directive 2002/72/EC and its amendments and therefore is suitable for the contact with food products.

Sandra Heil
Staatlich geprüfte Lebensmittelchemikerin

Test report Nr. FU FDC 1107770 page 4 of 4

Assheuer + Pott GmbH & Co. KG
Talweg 11

59846 Sundern
Germany

Fürth, March 31st, 2011

Test report No. FUFDC 1107771

General note: Copying this test report partially is permitted only in agreement with the contracted lab. The tests results refer only to the tested item. This report consists of 4 page(s). Test methods marked with * are not listed in our accreditation document.

Sample description: **Container 1/4 – Series “GN”
Item N° 83762**

Sample Entry: 14.03.2011
Testing period: 14.03. – 31.03.2011
Sampling through client
Head of analytical department: Ines Zitterbart



Results:

1. Sensory test

Method: §64 LFGB L 00.90-6* – Test solvent: Water _{demin} (24 h / 40 °C)

	Sample
Appearance	Clear, colourless
Odour	Neutral
Taste	Neutral
Status	passed

2. Physical- chemical testing

2.1. Global migration

Method: § 64 LFGB B 80.30

Limit of quantitation: 1.0 mg/dm² Inaccuracy of measurement: 2.0 mg/dm²

a) Test conditions: Acetic Acid (3%), 24h / 40°C

	Sample
Migration (mg/dm ²)	5.1
Status	passed

Requirement: max. 10 mg/dm²

b) Test conditions: Ethanol (95%), 2h / 40°C

	Sample
Migration (mg/dm ²)	< 1.0
Status	passed

Requirement: max. 10 mg/dm²

c) Test conditions: i-octane, 2h / 40°C

	Sample
Migration (mg/dm ²)	< 1.0
Status	passed

Requirement: max. 10 mg/dm²

2.2. Total content of heavy metals

Method: DIN EN ISO 1122 - DIN EN ISO 11885 (ICP)

	Sample
Lead mg/kg	< 10
Cadmium mg/kg	< 5
Status	passed

Requirement Lead: max. 100 mg/kg

Requirement Cadmium: max. 100 mg/kg

2.3. Polycyclic aromatic hydrocarbons according to US- EPA in mg/kg

Method: ZEK 01.2-08 2008

Limit of determination: 0.1 mg/kg each n.d. = not detectable

1	Naphthalene	n.d.	9	Benzo(a)anthracene	n.d.
2	Acenaphthylene	n.d.	10	Chrysene	n.d.
3	Acenaphthene	n.d.	11	Benzo(b)fluoranthene	n.d.
4	Fluorene	n.d.	12	Benzo(k)fluoranthene	n.d.
5	Phenanthrene	n.d.	13	Benzo(a)pyrene	n.d.
6	Anthracene	n.d.	14	Indeno(1,2,3-cd)pyrene	n.d.
7	Fluoranthene	n.d.	15	Dibenzo(a,h)anthracene	n.d.
8	Pyrene	n.d.	16	Benzo(ghi)perylene	n.d.
Sum					---

Status: passed

2.4. Specific migration of 2,4,6 – Triamino- 1,3,5 – Triazine (Melamine)

Method: §64 LFGB B 80.30 – HPLC/DAD*

Test conditions: Acetic Acid 3%, (24h/ 40°C)

Limit of quantitation: 1 mg/kg

	Sample
Melamine (mg/kg)	1.1
Status	Passed

Requirement: max. 30 mg/kg

2.5. Specific migration of Formaldehyde

Method: § 64 LFGB B 80.30 / DIN 53315 HPLC

Test conditions: Acetic Acid 3%, (24h/ 40°C)

Limit of quantitation: 1 mg/kg

	Sample
Formaldehyde (mg/kg)	1.5
Status	Passed

Requirement: max. 15 mg/kg

Summary:

Regarding the tested parameters the present sample fulfills the requirements of the LFGB, Regulation (EC) 1935/2004 and directive 2002/72/EC and its amendments and therefore is suitable for the contact with food products.

Sandra Heil
Staatlich geprüfte Lebensmittelchemikerin

Test report Nr. FU FDC 1107771 page 4 of 4

Assheuer + Pott GmbH & Co. KG
Talweg 11

59846 Sundern
Germany

Fürth, March 31st, 2011

Test report No. FUFDC 1107772

General note: Copying this test report partially is permitted only in agreement with the contracted lab. The tests results refer only to the tested item. This report consists of 4 page(s). Test methods marked with * are not listed in our accreditation document.

Sample description: **Bowl palm leaf – Series “Natural”
Item N° 83446**

Sample Entry: 14.03.2011
Testing period: 14.03. – 31.03.2011
Sampling through client
Head of analytical department: Ines Zitterbart



Test report No. FUFDC 1107772 page 1 of 4

Results:

1. Sensory test

Method: §64 LFGB L 00.90-6* – Test solvent: Water _{demin} (24 h / 40 °C)

	Sample
Appearance	Clear, colourless
Odour	Very slight odour of plastic
Taste	Very slight taste of plastic
Status	passed

2. Physical- chemical testing

2.1. Global migration

Method: § 64 LFGB B 80.30

Limit of quantitation: 1.0 mg/dm² Inaccuracy of measurement: 2.0 mg/dm²

a) Test conditions: Acetic Acid (3%), 24h / 40°C

	Sample
Migration (mg/dm ²)	1.4
Status	passed

Requirement: max. 10 mg/dm²

b) Test conditions: Ethanol (95%), 2h / 40°C

	Sample
Migration (mg/dm ²)	< 1.0
Status	passed

Requirement: max. 10 mg/dm²

c) Test conditions: i-octane, 2h / 40°C

	Sample
Migration (mg/dm ²)	2.0
Status	passed

Requirement: max. 10 mg/dm²

2.2. Total content of heavy metals

Method: DIN EN ISO 1122 - DIN EN ISO 11885 (ICP)

	Sample
Lead mg/kg	< 10
Cadmium mg/kg	< 5
Status	passed

Requirement Lead: max. 100 mg/kg

Requirement Cadmium: max. 100 mg/kg

2.3. Polycyclic aromatic hydrocarbons according to US- EPA in mg/kg

Method: ZEK 01.2-08 2008

Limit of determination: 0.1 mg/kg each n.d. = not detectable

1	Naphthalene	n.d.	9	Benzo(a)anthracene	n.d.
2	Acenaphthylene	n.d.	10	Chrysene	n.d.
3	Acenaphthene	n.d.	11	Benzo(b)fluoranthene	n.d.
4	Fluorene	n.d.	12	Benzo(k)fluoranthene	n.d.
5	Phenanthrene	n.d.	13	Benzo(a)pyrene	n.d.
6	Anthracene	n.d.	14	Indeno(1,2,3-cd)pyrene	n.d.
7	Fluoranthene	n.d.	15	Dibenzo(a,h)anthracene	n.d.
8	Pyrene	n.d.	16	Benzo(ghi)perylene	n.d.
Sum				---	

Status: passed

2.4. Specific migration of 2,4,6 – Triamino- 1,3,5 – Triazine (Melamine)

Method: §64 LFGB B 80.30 – HPLC/DAD*

Test conditions: Acetic Acid 3%, (24h/ 40°C)

Limit of quantitation: 1 mg/kg

	Sample
Melamine (mg/kg)	< 1.0
Status	Passed

Requirement: max. 30 mg/kg

2.5. Specific migration of Formaldehyde

Method: § 64 LFGB B 80.30 / DIN 53315 HPLC

Test conditions: Acetic Acid 3%, (24h/ 40°C)

Limit of quantitation: 1 mg/kg

	Sample
Formaldehyde (mg/kg)	1.7
Status	Passed

Requirement: max. 15 mg/kg

Summary:

Regarding the tested parameters the present sample fulfills the requirements of the LFGB, Regulation (EC) 1935/2004 and directive 2002/72/EC and its amendments and therefore is suitable for the contact with food products.

Sandra Heil
Staatlich geprüfte Lebensmittelchemikerin

Test report Nr. FU FDC 1107772 page 4 of 4

Assheuer + Pott GmbH & Co. KG
Talweg 11

59846 Sundern
Germany

Fürth, March 31st, 2011

Test report No. FUFDC 1107773

General note: Copying this test report partially is permitted only in agreement with the contracted lab. The tests results refer only to the tested item. This report consists of 4 page(s). Test methods marked with * are not listed in our accreditation document.

Sample description: **Tray 6N 1/2 – Series “Pure”
Item N° 83480**

Sample Entry: 14.03.2011
Testing period: 14.03. – 31.03.2011
Sampling through client
Head of analytical department: Ines Zitterbart



Results:

1. Sensory test

Method: §64 LFGB L 00.90-6* – Test solvent: Water _{demin} (24 h / 40 °C)

	Sample
Appearance	Clear, colourless
Odour	Very slight odour of plastic
Taste	Very slight taste of plastic
Status	passed

2. Physical- chemical testing

2.1. Global migration

Method: § 64 LFGB B 80.30

Limit of quantitation: 1.0 mg/dm² Inaccuracy of measurement: 2.0 mg/dm²

a) Test conditions: Acetic Acid (3%), 24h / 40°C

	Sample
Migration (mg/dm ²)	< 1.0
Status	passed

Requirement: max. 10 mg/dm²

b) Test conditions: Ethanol (95%), 2h / 40°C

	Sample
Migration (mg/dm ²)	< 1.0
Status	passed

Requirement: max. 10 mg/dm²

c) Test conditions: i-octane, 2h / 40°C

	Sample
Migration (mg/dm ²)	1.4
Status	passed

Requirement: max. 10 mg/dm²

2.2. Total content of heavy metals

Method: DIN EN ISO 1122 - DIN EN ISO 11885 (ICP)

	Sample
Lead mg/kg	< 10
Cadmium mg/kg	< 5
Status	passed

Requirement Lead: max. 100 mg/kg

Requirement Cadmium: max. 100 mg/kg

2.3. Polycyclic aromatic hydrocarbons according to US- EPA in mg/kg

Method: ZEK 01.2-08 2008

Limit of determination: 0.1 mg/kg each n.d. = not detectable

1 Naphthalene	n.d.	9 Benzo(a)anthracene	n.d.
2 Acenaphthylene	n.d.	10 Chrysene	n.d.
3 Acenaphthene	n.d.	11 Benzo(b)fluoranthene	n.d.
4 Fluorene	n.d.	12 Benzo(k)fluoranthene	n.d.
5 Phenanthrene	n.d.	13 Benzo(a)pyrene	n.d.
6 Anthracene	n.d.	14 Indeno(1,2,3-cd)pyrene	n.d.
7 Fluoranthene	n.d.	15 Dibenzo(a,h)anthracene	n.d.
8 Pyrene	n.d.	16 Benzo(ghi)perylene	n.d.
Sum		---	

Status: passed

2.4. Specific migration of 2,4,6 – Triamino- 1,3,5 – Triazine (Melamine)

Method: §64 LFGB B 80.30 – HPLC/DAD*

Test conditions: Acetic Acid 3%, (24h/ 40°C)

Limit of quantitation: 1 mg/kg

	Sample
Melamine (mg/kg)	2.7
Status	Passed

Requirement: max. 30 mg/kg

2.5. Specific migration of Formaldehyde

Method: § 64 LFGB B 80.30 / DIN 53315 HPLC

Test conditions: Acetic Acid 3%, (24h/ 40°C)

Limit of quantitation: 1 mg/kg

	Sample
Formaldehyde (mg/kg)	1.2
Status	Passed

Requirement: max. 15 mg/kg

Summary:

Regarding the tested parameters the present sample fulfills the requirements of the LFGB, Regulation (EC) 1935/2004 and directive 2002/72/EC and its amendments and therefore is suitable for the contact with food products.

Sandra Heil
Staatlich geprüfte Lebensmittelchemikerin

Test report Nr. FU FDC 1107773 page 4 of 4

Assheuer + Pott GmbH & Co. KG
Talweg 11

59846 Sundern
Germany


Fürth, February 3rd, 2012

Test report No. FUFDC 1200579

General note: Copying this test report partially is permitted only in agreement with the contracted lab. The tests results refer only to the tested item. This report consists of 2 page(s). Test methods marked with * are not listed in our accreditation document.

Sample description: **Melamine Bowls "Apart" and "Pure"**
Item N° 83818 /83408

Sample Entry: 17.01.2012
Testing period: 17.01. – 03.02.2012
Sampling through client
Head of analytical department: Ines Zitterbart



Apart Item N°83818

Pure Item N°83408

Results:**1. Specific migration of 2,4,6 – Triamino- 1,3,5 – Triazine (Melamine)**

Method: §64 LFGB B 80.30 – HPLC/DAD*

Test conditions: Acetic Acid 3%, (2h/ 70°C)

Limit of quantitation: 1 mg/kg

	Apart 83818	Pure 83408
Melamine (mg/kg)	< 1	< 1
Status	Passed	Passed

Requirement: max. 2.5 mg/kg

Ines Zitterbart

Staatlich geprüfte Lebensmittelchemikerin

Test report No. FUFDC 1200579 page 2 of 2