


REPORT

0307

Technical Report: (8515)360-0418

Page 1 of 4
JAN 08, 2016



Bureau Veritas Shenzhen Co., Ltd
4/F, Block B, Minke Industrial Building,
4 Zone Of Hongyuan Industrial Park,
Xili Town, Nanshan District, Shenzhen,
Guangdong, P.R.C.
Tel: 86-755-83000151 Fax: 86-755-83000155
www.bureauveritas.com/cn

TEST REPORT



THE COMPANION GROUP
1250 9TH STREET, BERKELEY, CA 94710

ATTN: CATTY FENG, SUNNY LIANG
CC: cfeng@companion-group.com
sliang@companion-group.com
klove@companion-group.com
natalie@companion-group.com
noel@companion-group.com
erich@companion-group.com
cfeng@companion-group.com
rchau@companion-group.com
emma@companion-group.com

LAB LOCATION: SHENZHEN
LAB NUMBER: (8515)360-0418
DATE IN: DEC 28, 2015
MOD. LOG IN: /
DATE OUT: JAN 08, 2016
REVISD DATE: /
WORKING DAYS: 8
PAGE: 2 OF 4

OVERALL RATING
PASS
FAIL
DATA
X


TESTING FOR
FDA GRAS TEST

Sample Description: STEEL BAKING PLATE 14 ROUND	
Manufacturer:	/
Buyer:	/
Country of Origin:	CHINA
Color:	/
Re-test:	Yes: ☐ No: ☒
Previous Report No.:	/
Charge Vendor: Yes: ☒ No: ☐	
SKU Number:	232674, ITEM #: PC0307
Country of Destination:	/
Style:	/
P.O. No.:	/



EXECUTIVE SUMMARY:

1. The submitted sample(s) demonstrated **SATISFACTORY** material qualities, as the submitted Silvery metal comply with the FDA GRAS Guidelines. The test result was stated as below: **(PASS)**



FDA/GRAS Evaluation

Test Item 1: Silvery metal plate

Result: The sample 1 was identified as AISI 1020.
Conclusion: The result for this sample is considered as FDA/GRAS.

Arc Spectrometer Data Sheet		
AISI 1020 FDA/GRAS		
Sample ID		
ELEMENTS	REQUIRED (%)	RECORDED (%)
C	0.18-0.23	0.20
Si	/	0.19
Mn	0.30-0.60	0.38
P	0.040 max	0.016
S	0.050 max	0.003
Cr	/	0.030
Ni	/	0.0085
Cu	/	0.013

REMARK(S):

1. No protocol is enclosed with this report.
2. The submitted sample(s) did not contain any material which is under the scope of CPSC-6572-US (CA Prop 65) protocol. Therefore, no testing under CPSC-6572-US protocol was conducted.
3. As per request, only the following test was conducted in this report:
● FDA GRAS TEST



NOTE: If there are questions or concerns regarding above report, please contact the appropriate lab persons.

Technical questions & concerns:

Johnny-YH Dai / Lester Luo
(+86)755-32980233 / 32980234
johnny-yh.dai@cn.bureauveritas.com
Lester.luo@cn.bureauveritas.com

General Enquiries:

Arrow Qiu / Bay Yu
(+86)755-32980225 / 32980220
Arrow.qiu@cn.bureauveritas.com
Bay.yu@cn.bureauveritas.com

BUREAU VERITAS SHENZHEN CO., LTD

Kurt Chen

KURT CHEN
ASSISTANT MANAGER – HARDLINES DIVISION